In the Claims:

Please amend the claims as follows:

- 1. (Original) A polyolefin graft copolymer produced, in the presence of a coordination polymerization catalyst, by copolymerizing an olefin monomer and a macromonomer having a multilayer structure in an aqueous system.
- 2 (Original) The polyolefin graft copolymer according to Claim 1, wherein the macromonomer having the multilayer structure is a macromonomer having a two-layered structure including 10% to 95% by weight of a layer composed of a rubber-like polymer and 5% to 90% by weight of a layer composed of a hard polymer.
 - 3. (Currently amended) The polyolefin graft copolymer according to either Claim 1 [[or 2]], wherein the macromonomer having the multilayer structure is produced by emulsion polymerization using a redox initiator.
 - 4. (Currently amended) The polyolefin graft copolymer according to any ene of Claims 1 to 3 Claim 1, wherein the coordination polymerization catalyst is a complex containing a ligand having two imine nitrogen atoms and a late transition metal selected from Groups 8 to 10 in the periodic table.
 - 5. (Currently amended) The polyolefin graft copolymer according to any one of Claims 1 to 4 Claim 1, wherein the olefin monomer is an α -olefin.
 - 6. (Currently amended) A method for producing the polyolefin graft copolymer according to any one of Claims 1 to 5 Claim 1, the method comprising allowing a macromonomer having a multilayer structure, an olefin monomer, and a coordination polymerization catalyst to react with each other in an aqueous system.

- 7. (Currently amended) A thermoplastic resin composition containing the polyolefin graft copolymer according to any one of Claims 1 to 6 Claim 1.
- 8. (Original) The thermoplastic resin composition according to Claim 7, wherein the composition contains a polyolefin resin as a component.
- 9. (New) The polyolefin graft copolymer according to Claim 2, wherein the macromonomer having the multilayer structure is produced by emulsion polymerization using a redox initiator.
- 10. (New) The polyolefin graft copolymer according to Claim 2, wherein the coordination polymerization catalyst is a complex containing a ligand having two imine nitrogen atoms and a late transition metal selected from Groups 8 to 10 in the periodic table.
 - 11. (New) The polyolefin graft copolymer according to Claim 3, wherein the coordination polymerization catalyst is a complex containing a ligand having two imine nitrogen atoms and a late transition metal selected from Groups 8 to 10 in the periodic table.
 - 12. (New) The polyolefin graft copolymer according to Claim 9, wherein the coordination polymerization catalyst is a complex containing a ligand having two imine nitrogen atoms and a late transition metal selected from Groups 8 to 10 in the periodic table.